



LOAD CERTIFICATES: 240/70R16

Brand: ASCENSO

Tread Pattern: CDR 700

Tyre Construction: Radial

LSI: 104 D

Type: Tube Less

Main Applications: Compact Tractors

TRA Code: R-1W



Salient Features

MULTI-ANGLE TREAD PATTERN:

- Distinctive shoulder design provides high traction.
- Dual Mud Breaker ensure better self-cleaning properties.

Handling & Comfort:

- Larger Footprint ensures better stability on Field and on road.
- Safeguards comforts on all surfaces.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
		mm	mm	Mixed application										
		in	in	mm	mm			bar	Static	10	25	30	40	50
				in	in	psi								
240/70R16	W8	244 9.61	742 29.21	342 13.46	2219 87.36	104 D	1.2	1240	810	640	620	590	570	540
							17	2730	1780	1410	1370	1300	1260	1190
							1	1380	900	710	690	660	630	600
							20	3040	1980	1560	1520	1450	1390	1320
							1.7	1590	1040	820	790	760	720	690
							25	3500	2290	1810	1740	1670	1590	1520
							2.1	1860	1220	960	930	890	850	810
							30	4100	2690	2110	2050	1960	1870	1780
							2.4	2070	1350	1070	1040	990	950	900
							35	4560	2970	2360	2290	2180	2090	1980

Note: All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com