



# LOAD CERTIFICATES: 260/70R20

---

**Brand:** ASCENSO

**Tread Pattern :** CDR 700

**Tyre Construction:** Radial

**LSI :** 113 D

**Type:** Tube Less

**Main Applications:** Compact Tractors

**TRA Code :** R1W



## Salient Features

### **MULTI-ANGLE TREAD PATTERN:**

- Distinctive shoulder design provides high traction.
- Dual Mud Breaker ensure better self-cleaning properties.

### **Handling & Comfort:**

- Larger Footprint ensures better stability on Field and on road.
- Safeguards comforts on all surfaces.



# Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)							
		SW	OD					Speed, km/h (mph)							
		mm	mm	Mixed application											
		in	in	mm	mm			bar	Static	10	25	30	40	50	65
		in	in	in	in			psi		6	16	19	25	31	40
260/70R20	W8	258 10.16	872 34.33	404 15.91	2608 102.68	113 D	1.2	1590	1040	820	790	760	720	690	
							17	3500	2290	1810	1740	1670	1590	1520	
							1	1770	1160	910	890	840	810	770	
							20	3900	2560	2000	1960	1850	1780	1700	
							1.7	2050	1340	1050	1020	970	930	890	
							25	4520	2950	2310	2250	2140	2050	1960	
							2.1	2390	1560	1230	1200	1140	1090	1040	
							30	5260	3440	2710	2640	2510	2400	2290	
							2.4	2650	1730	1360	1320	1260	1210	1150	
35	5840	3810	3000	2910	2780	2670	2530								

**Note:** All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)