



LOAD CERTIFICATE : 440/65R24

Brand: ASCENSO

Tread Pattern : TDR 650

Tyre Construction: Radial

LSI: 135 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Optimum Tread Design:

Maximum performance in field and on road operations

First in the Industry with Dual Mud Breakers:

Ensure better self-cleaning

Greater Lug Overlap:

Provides safe and comfortable ride at high speeds



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in
440/65 R 24	W14 L	441 17.4	1182 46.5	541 21.3	3535 139.2	135 D	1.2	3010	1970	1550	1510	1430	1380	1310			
							17	6630	4340	3410	3330	3150	3040	2890			
							1	3340	2180	1720	1670	1590	1520	1450			
							20	7360	4800	3790	3680	3500	3350	3190			
							1.7	3840	2510	1980	1920	1830	1750	1670			
							25	8460	5530	4360	4230	4030	3850	3680			
							2.1	4510	2940	2320	2250	2150	2060	1960			
							30	9930	6480	5110	4960	4740	4540	4320			
							2.4	5010	3270	2580	2510	2390	2290	2180			
							35	11040	7200	5680	5530	5260	5040	4800			

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com