



LOAD CERTIFICATES : 480/70R28

Brand: ASCENSO

Tread Pattern : TDR 700

Tyre Construction: Radial

LSI: 140 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
								Mixed application						
								Bar	Static	10	25	30	40	50
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
in	in	in	in	in	in	in	Psi	Static	6	16	19	25	31	40
480/70 R 28	W15	479 18.9	1421 55.9	649 25.6	4250 167.3	140 D	0.8	3630	2370	1870	1820	1730	1660	1580
							12	8000	5220	4120	4010	3810	3660	3480
							1	4160	2720	2140	2080	1980	1900	1810
							15	9160	5990	4710	4580	4360	4190	3990
							1.2	4690	3060	2420	2350	2230	2140	2040
							17	10330	6740	5330	5180	4910	4710	4490
							1.4	5220	3410	2690	2610	2490	2380	2270
							20	11500	7510	5930	5750	5480	5240	5000
							1.6	5750	3750	2960	2880	2740	2630	2500
							23	12670	8260	6520	6340	6040	5790	5510

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com